Index to Volume 41, 1984

A

Abdel-Kader H M *see* Noweir M H *et al*
Abu Bakar C M *see* Lim H H *et al*
Acetylcholine challenge test, prognostic value, prospective study, 267
Acheson E D *see* Saracci R *et al*
Air hammer, effect on hands of stonecutters, limestone quarries, Bedford, Indiana, revisited, 289
—— *see also* Vibration
Airways disease and wheat flour sensitisation, urban bakers, 450
Alapieti T *see* Anttila S *et al*
Aliphatic hydrocarbon compounds, neurophysiology, relation between structural properties and neurotoxicity, rats, 526
Alpha$_1$ antitrypsin and lung function, British coalminers, 455
Aluminium workers, telangiectasia, follow up, 367
Alveolitis, extrinsic allergic, tobacco industry, 77
Amery A *see* Staessen J *et al*
Ames R G and Trent B: Mobility of diesel versus non-diesel coal miners: some evidence on the healthy worker effect, 197
Amines, do they induce ocupational asthma in workers manufacturing polyurethane foams: notes and miscellanea, 552
δ-Aminolaevulinic acid dehydratase, effects of lead, 406
—— —— —— related to lead and zinc concentrations in plasma, erythrocytes, and urine, after intravenous infusion of Ca-EDTA, 235
p-Aminophenol, in urine after mixed exposure to aniline and toluene, thin layer chromatography, 272
Andersen A *see* Heldaas S S *et al*
Saracci R *et al*
Aniline and toluene, mixed exposure to, p-aminophenol in urine, thin layer chromatography, 272
Anttila S, Sutinen S, Pääkkö P, Alapieti T, Peura R, and Sivonen S J: Quantitative x ray microanalysis of pulmonary mineral particles in a patient with pneumoconiosis and two primary lung tumours, 468
Arfini G *see* Mutti A *et al*
Armstrong B K *see* Eliopulos E *et al*
Asbestos, chrysotile, effect on erythrocyte membranes, spin label study, 46
—— —— friction products plant, America, dust exposure and mortality, 151
—— dust concentrations, low, exposure to, radiographic changes in group of chrysotile miners and millers, 384
—— exposure and malignant mesothelioma, 39
—— —— —— histological types, 514
—— and mineral fibres, binding of environmental carcinogens, 396
—— related lesions, cell population and histochemistry, rat pleural cavity after injection of various inorganic dusts, 506
—— workers, pleuropulmonary disease, radiographic assessment, posteroanterior, four view films and computed tomograms of the thorax, 373
—— —— from nickel sensitivity: I Human serum albumin in the antigenic determinant, 51: II Factors influencing the interaction of Ni^{2+}, HSA, and serum antibodies with nickel related specificity, 56
—— —— in workers manufacturing polyurethane foams, induced by amines: notes and miscellanea, 552
—— —— and other symptoms, cinnamon workers, 224
Atopy and non-atopy, acute lung function response to cotton dust, 487
Audiogram, three-frequency, for use in industry, 401
Axelsson G, Lütz C, and Rylander R: Exposure to solvents and outcome of pregnancy in university laboratory employees, 305

B

Bakar C M Abu, *see* Abu Bakar C M
Bartosz G *see* Gendek E *et al*
Baker E L, Feldman R G, White R A, Harley J P, Niles C A, Dinse G E, and Berkey C S: Occupational lead neurotoxicity: a behavioural and electrophysiological evaluation. Study design and year one results, 352
Bakers, urban, wheat flour sensitisation and airways disease, 450
Bégin R, Boctor M, Bergeron D, Cantin A, Berthiaume Y, Péloquin S, Bisson G, and Lamoureux G: Radiographic assessment of pleuropulmonary disease in asbestos workers: posteroanterior, four view films, and computed tomograms of the thorax, 373
Behrens V *see* Taylor W *et al*
Belobragina G V *see* Morosova K I *et al*
Benzene, exposure to, chromosome analysis from peripheral blood lymphocytes of workers, 249
Bergeron D *see* Bégin R *et al*
Berkey C S *see* Baker E L *et al*
Bernard A *see* Staessen J *et al*
Bernstein L *see* Peters J M *et al*
Wright W E *et al*
Bertazzi P A *see* Saracci R *et al*
Berthiaume Y *see* Bégin R *et al*
Bessette F *see* Seufert W D *et al*
Beyme A A Frentzel—, *see* Frentzel-Beyme R R
Bieniek G, Karmańska K, and Wilczok T: Thin layer chromatography of p-aminophenol in urine after mixed exposure to aniline and toluene, 272
Bignon J *see* Jaurand M C *et al*
Bile acid concentrations, serum, raised, after occupational exposure to styrene, possible sign of hepatotoxicity, 257
Billemont G *see* Rosier J *et al*
Bird fancier, extrinsic allergic broncholitis, 220
Bisson G *see* Bégin R *et al*
Blood pressure, relation to urinary cadmium and lead concentrations in a population with low exposure, 241
Blundell G *see* Boyd J E *et al*
Boctor M *see* Bégin R *et al*
Bonsall J *see* Wald N *et al*
Boreham J *see* Wald N *et al*
Bos R P, Hulshof C T J, Theuws J L G and Henderson P Th: Genotoxic exposure of workers creosoting wood, 260
Bosschе J Van Den *see* Van Den Bossche J
Boyd J E, Collings P, Crofton P M, Blundell G, and Davis J M G: Alpha$_1$ antitrypsin and lung function in British coalminers, 455
Brocker W *see* Wong O *et al*
Broder I, Hutcheon M A, Mintz S, Davies G, Leznoff A, Thomas P and Corey P: Changes in respiratory variables of grain handlers and civic workers during their initial months of employment, 94
Brominated chemicals, organic and inorganic, potential exposure to, mortality of workers, 15
Bronchoconstriction in man, textile dust extracts, characterisation, 70

BULPITT C J *see* STAESSEN J *et al*
BYE E, DAVIES R, GRIFFITHS D M, GYLSETH B and MONCRIEFF C B: In vitro cytotoxicity and quantitative silica analysis of diatomaceous earth products, 228
Byssinosis, aetiology, role of histamine, 203, 209

C

Cadmium, urinary, concentrations and lead urinary concentrations, relation to blood pressure in a population with low exposure, 241
Calcium disodium ethylene diamine tetra-acetate (Ca-EDTA), intravenous infusion, lead and zinc concentrations in plasma, erythrocytes, and urine in relation to ALA-D activity, 235
—— silicates, macrophage cytotoxicity, in vitro, 116
Cancer, and hydrazin, risk after occupational exposure, 31
—— lung, mortality among workers making lead and zinc chromate pigments, three English factories, 158
—— in man made vitreous fibres producing industry, mortality and incidence, international investigation, 13 European plants, 425
—— effects of measured doses of external radiation, job related mortality risks, Hanford workers, 9
—— risks, Hanford workers, 6
——, and vinyl chloride and polyvinyl chloride workers, incidence, 25
CANDURA F and MOSCATO G: Do amines induce occupational asthma in workers manufacturing polyurethane foams?: notes and miscellanea, 552
CANTIN A *see* BÉGIN R *et al*
Carbon disulphide exposure, iodine azide test and TTCA test, relation between, 412
—— —— and methaemoglobin formers, chest pain in rubber chemical workers exposed to, 296
—— dust and sulphur dioxide, acute exposure of symptomatic steelworkers, effects on mucociliary transport, pulmonary function, and bronchial reactivity, 499
Carcinogens, environmental, binding to asbestos and mineral fibres, 396
Cardroom, experimental, cotton dust exposure, 340
CARLO G L *see* CURRIER M F *et al*
CASTELLAN R M *see* SEPULVEDA M-J *et al*
Cement workers, mortality study, 179
CHAPMAN J S *see* RUCKLEY V A *et al*
CHARNAY N *see* SARACCI R *et al*
CHAU N *see* PHAM Q T *et al*
Chemical workers, isolated liver damage, 142
Chest pain, in rubber chemical workers exposed to carbon disulphide and methaemoglobin formers, 296
Chromate pigment lead poisoning, long term mortality study, 170
—— —— lead and zinc, lung cancer mortality among workers in three English factories, 158
Chromium excretion and hair chromium, tannery workers, 263
Chromosome analysis from peripheral blood lymphocytes of workers after acute exposure to benzene, 249
Chronic obstructive lung disease, acetylcholine challenge test, prognostic value, prospective study, 267
Chrysotile asbestos, effect on erythrocyte membranes, spin label study, 46
—— —— friction products plant, America, dust exposure and mortality, 151
—— fibres, in vitro biodegradation by alveolar macrophages and mesothelial cells in culture, comparison with a pH effect, 389
—— miners and millers, exposed to low asbestos dust concentrations, radiographic changes, 384
—— *see also* Asbestos
CIGDEM S *see* SANER G *et al*
Cinnamon workers, asthma and other symptoms, 224
Civic workers, respiratory variables, changes during initial months of employment, 94
CLARE M G, YARDLEY-JONES A, MACLEAN A C and DEAN B J: Chromosone analysis from peripheral blood lymphocytes of workers after an acute exposure to benzene, 249
CLARK C G *see* MERCURIUS-TAYLOR L A *et al*
CLAUDE J *see* SARACCI R *et al*
Coalminers, alpha$_1$ antitrypsin and lung function, 455
—— respiratory symptoms and lung function, exposure to oxides of nitrogen, 214
—— Non-diesel versus diesel, mobility, evidence on the healthy worker effect, 197
—— comparison of radiographic appearances with associated pathology and lung dust content, 459
—— progressive massive fibrosis, radiographic classification, 334
—— simple pneumoconiosis, lung mechanics in relation to radiographic category: notes and miscellanea, 284
COCHRANE A L and MOORE F: Lung mechanics in relation to radiographic category of coalworkers' simple pneumoconiosis: notes and miscellanea, 284
COCKE J B *see* SEPULVEDA M-J *et al*
COLLINGS P *see* BOYD J E *et al*
ROBERTSON A *et al*
RUCKLEY V A *et al*
COLLINS H P R *see* SOUTAR C A and COLLINS H P R
Contaminants, particulate, liquid barrier filter as total protection against, 1
COOK J D *see* MANTON W I and COOK J D
COPLAND L *see* LLOYD M H *et al*
CORDIER S, THERIAULT G, and PROVENCHER S: Radiographic changes in a group of chrysotile miners and millers exposed to low asbestos dust concentrations, 384
COREY P *see* BRODER I *et al*
Correction: Fibre type and concentration in the lungs of workers in an asbestos cement factory (November 1983), 285
—— Reversibility of skeletal fluorosis (November 1983), 141
Cotton dust, in atopy and non-atopy, acute lung function response, 487
—— —— exposure, experimental cardroom, 340
—— —— and flax, blood histamine concentrations in workers exposed to, 203
—— induced bronchoconstriction detected by a forced random noise oscillator, 480
COURTNEY D and MERRETT J D: Respiratory symptoms and lung function in a group of solderers, 346
CREMER G K SLUIS- *see* SLUIS-CREMER G K
Creosoting wood, genotoxic exposure of workers, 260
CROFTON P M *see* BOYD J E *et al*
CURRIER M F, CARLO G L, POSTON P L, and LEDFORD W E: A cross sectional study of employees with potential occupational exposure to ethylene oxide, 492

D

DAVIES G *see* BRODER I *et al*
DAVIES J M: Long term mortality study of chromate pigment workers who suffered lead poisoning, 170
—— Lung cancer mortality among workers making lead chromate and zinc chromate pigments at three English factories, 158
DAVIES R *see* BYE E *et al*
SKAUG V *et al*
DAVIS H V *see* WONG O *et al*
DAVIS J M G *see* BOYD J E *et al*
RUCKLEY V *et al*
DDT, potential exposure to, mortality of workers, 15
DE WALLE A VAN *see* VAN DE WALLE A
DEAN B J *see* CLARE M G *et al*
DEN BOSSCHE J VAN *see* VAN DEN BOSSCHE J
Detergent ingestion, chronic, possible harmfulness to gut, 279
Diatomaceous earth products, invitro cytotoxicity and quantitative silica analysis, 228
1, 2-Dibromo-3-chloropropane (DBCP), potential exposure to, mortality of workers, 15
DICKSON E A *see* WRIGHT W E *et al*

Diesel exposure, railway workers, mortality pilot study results, 320
—— versus non-diesel coal miners, mobility, evidence on the healthy worker effect, 197
DINSE G E *see* BAKER E L *et al*
Dioxin, lipid abnormalities in workers exposed to, 254
Divers, commercial, optimum weights, 275
DODGSON J *see* ROBERTSON A *et al*
DOLL R *see* WALD N *et al*
DOLOVICH J, EVANS S L and NIEBOER E: Occupational asthma from nickel sensitivity: I Human serum albumin in the antigenic determinant, 51
—— *see also* NIEBOER E *et al*
DOMALA Z *see* LIM H H *et al*
DØSSING M and RANEK L: Isolated liver damage in chemical workers, 142
DOUGLAS A N *see* RUCKLEY V A *et al*
DOUGLAS J S and DUNCAN P G: Characterisation of textile dust extracts: I Histamine release in vitro, 64
—— —— and ŽUŠKIN E: Characterisation of textile dust extracts: II Bronchoconstriction in man, 70
DUMAS L *see* HARVEY G *et al*
DUNCAN P G *see* DOUGLAS J S and DUNCAN P G
DOUGLAS J S *et al*
Dust exposure, chrysotile asbestos friction products plant, America, mortality, 151
—— extracts, textile, characterisation, 64
—— *see also* Cotton

E

Editorial: Future plans for British Journal of Industrial Medicine, 149
EDLING C and TAGESSON C: Raised serum bile acid concentrations after occupational exposure to styrene: a possible sign of hepatotoxicity? 257
EDWARDS R E, WAGNER M M F, and MONCRIEFF C B: Cell population and histochemistry of asbestos related lesions of rat pleural cavity after injection of various inorganic dusts, 506
ELIOPULOS E, ARMSTRONG B K, SPICKETT J T and HEYWORTH F: Mortality of fire fighters in Western Australia, 183
Erythrocyte membranes, effect of chrysotile asbestos, spin label study, 46
ESTEVE J *see* SARACCI R *et al*
Ethylene oxide, cross sectional study of employees with potential occupational exposure, 492
—— thiourea, thyroid function, two groups of exposed workers, 362
EVANS S L *see* DOLOVICH J *et al*
NIEBOER E *et al*
Extrinsic allergic alveolitis, tobacco industry, 77
—— —— broncholitis, in a bird fancier, 220

F

FAGARD R *see* STAESSEN J *et al*
FALZOI M *see* MUTTI A *et al*
FARANT J P and WIGFIELD D C: Comparison of the in vivo effects of lead on the pH-activity relationship of human erythrocytic δ-aminolaevulinic acid dehydratase, 406
FELDMAN R G *see* BAKER E L *et al*
FERNIE J M *see* RUCKLEY V A *et al*
Fibre type and concentration in the lungs of workers in an asbestos cement factory (November 1983), correction, 285
Fibrosis, progressive massive, coalminers, radiographic classification, 334
FINE S *see* SMITH T J *et al*
Firefighters, Western Australia, mortality, 183
Flax and cotton dusts, blood histamine concentrations in workers exposed to, 203
Fluoride, urinary, concentrations, as estimator of welding fume exposure from basic electrodes, 192
FRANCHINI I *see* MUTTI A *et al*
FRENTZEL-BEYME R R *see* SARACCI R *et al*
FROMM J B *see* WRIGHT W E *et al*
FRY J S *see* MCDONALD A D *et al*

G

GABIANO M *see* PHAM Q T *et al*
GARDNER M J *see* SARACCI R *et al*
GAUDICHET A *see* JAURAND M C *et al*
GAULD S *see* LLOYD M H *et al*
GEDDES D *see* HARRIES M G *et al*
GENDEK E, BARTOSZ G and LEYKO W: A spin label study of the effect of chrysotile asbestos on erythrocyte membranes, 46
Genotoxic exposure of workers creosoting wood, 260
GINGRAS S *see* THÉRIAULT G *et al*
Glass fibre workers, mortality experience, 35
Glutamate, antisilicotic effect, further experimental study, 518
Grain handlers, respiratory variables, changes during initial months of employment, 94
Granulomatous reaction, pulmonary, talc pneumoconiosis or chronic sarcoidosis, 84
GRIFFITHS D M *see* BYE E *et al*
GROSJEAN R *see* ROSIER J *et al*
GYLSETH B *see* BYE E *et al*
SKAUG V *et al*

H

HAGLIND P and RYLANDER R: Exposure to cotton dust in an experimental cardroom, 340
Hair chromium concentration and chromium excretion, tannery workers, 263
HALPERN S *see* JAURAND M C *et al*
HAMMOND S K *see* PETERS J M *et al*
SMITH T J *et al*
Hanford workers, mortality risks, job related, relation to cancer effects of measured doses of external radiation, 9
—— —— occupational mortality risks, identification, 6
HANKE W, SEPULVEDA M-J, WATSON A, and JANKOVIC J: Respiratory morbidity in wollastonite workers, 474
HANKINSON J L *see* SEPULVEDA M-J *et al*
HÄRKÖNEN H, RIIHIMÄKI H, TOLA S, MATTSSON T, PEKKARINEN M, ZITTING A and HUSMAN K: Symptoms of vibration syndrome and radiographic findings in the wrists of lumberjacks, 133
HARLEY J P *see* BAKER E L *et al*
HARRIES M G, HEARD B and GEDDES D: Extrinsic allergic broncholitis in a bird fancier, 220
HARRINGTON J M and OAKES D: Mortality study of British pathologists 1974–80, 188
HARVEY G, PAGE M, and DUMAS L: Binding of environmental carcinogens to asbestos and mineral fibres, 396
HASEGAWA K *see* ISHIHARA N *et al*
HAYES M *see* SHANNON H S *et al*
Healthy worker effect, mobility of diesel versus non-diesel coal miners, 197
HEARD B *see* HARRIES M G *et al*
Hearing, effects of impulse and continuous steady state noise, 122
HEDSTROM L *see* SJÖGREN B *et al*
HELDAAS S S, LANGÅRD S L and ANDERSEN A: Incidence of cancer among vinyl chloride and polyvinyl chloride workers, 25
HENDERSON B E *see* WRIGHT W E *et al*
HENDERSON P Th *see* BOS R P *et al*
HENQUEL J C *see* PHAM Q T *et al*
Hepatotoxicity, possible sign, raised serum bile acid concentrations after occupational exposure to styrene, 257
n-Hexane metabolism, occupationally exposed workers, 533
HEYWORTH F *see* ELIOPULOS E *et al*
Histamine release in vitro, textile dust extracts, characterisation, 64
—— role in aetiology of byssinosis. I Blood histamine concentra-

tions in workers exposed to cotton and flax dusts, 203: II Lung histamine concentrations in guinea pigs chronically exposed to cotton and flax dusts, 209
HLA antigens, A and B locus, in relation to silicosis development: notes and miscellanea, 417
HULSHOF C T J *see* BOS R P *et al*
HUSMAN K *see* HÄRKÖNEN H *et al*
HUUSKONEN *et al*
HUTCHEON M A *see* BRODER I *et al*
HUUSKONEN M S, HUSMAN K, JÄRVISALO J, KORHONEN O, KOTIMAA M, KUUSELA T, NORDMAN H, ZITTING A and MÄNTYJÄRVI R: Extrinsic allergic alveolitis in the tobacco industry, 77
Hydrazine, occuptional exposure, subsequent cancer risk, 31

I

Information section, MEDLARS, 145, 286, 421, 554
Iodine azide test and TTCA test, for exposure to carbon disulphide, relation between, 412
Iron miners, acetylcholine challenge test, prognostic value, prospective study, 267
ISHIHARA N, SHIOJIMA S and HASEGAWA K: Lead and zinc concentrations in plasma, erythrocytes, and urine in relation to ALA-D activity after intravenous infusion of Ca-EDTA, 235

J

JANKOVIC J *see* HANKE W *et al*
JÄRVISALO J *see* HUUSKONEN M S *et al*
JAURAND M C, GAUDICHET A, HALPERN S, and BIGNON J: In vitro biodegradation of chrysotile fibres by alveolar macrophages and mesothelial cells in culture: comparison with a pH effect, 389
JAYARAJ A P *see* MERCURIUS-TAYLOR L A *et al*
JENSEN O M *see* SARACCI R *et al*
JOGINDER S *see* LIM H H *et al*
JONES A YARDLEY- *see* YARDLEY-JONES A
JOOSSENS J V *see* STAESSEN J *et al*
JULIAN J A *see* SHANNON H S *et al*

K

KADER H M ABDEL- *see* ABDEL-KADER H M
KARMAŃSKA K *see* BIENIEK G *et al*
KATNELSON B A *see* MOROSOVA K I *et al*
KEEBLE C J: Actual hazard of methyl bromide fumigation in soil disinfection: notes and miscellanea, 282
KNEALE G W, MANCUSO T F and STEWART A M: Identification of occupational mortality risks for Hanford workers, 6
—— —— —— Job related mortality risks of Hanford workers and their relation to cancer effects of measured doses of external radiation, 9
KORHONEN O *see* HUUSKONEN M S *et al*
KOTIMAA M *see* HUUSKONEN M S *et al*
KUUSELA T *see* HUUSKONEN M S *et al*

L

Laboratory employees, university, solvent exposure, pregnancy outcome, 305
LACHIVER G *see* SEUFERT W D *et al*
LAHAYE D *see* VAN DEN BOSSCHE J and LAHAYE D
LAIDLAW F *see* SMITH T J *et al*
LAMB D *see* RUCKLEY V A *et al*
LAMOUREUX G *see* BEGIN R *et al*
LANGÅRD S L *see* HELDAAS S S *et al*
LAUWERYS R *see* STAESSEN J *et al*
Lead, effects on human erythrocytic δ-aminoalaevulinic acid dehydratase, 406
—— neurotoxicity, occupational, behavioural and electrophysiological evaluation, 352
—— poisoning, chromate pigment workers, long term mortality study, 170
—— in serum and cerebrospinal fluid, high accuracy (stable isotope dilution) measurements, 313
—— and zinc chromate pigments, lung cancer mortality among workers in three English factories, 158
—— and zinc concentrations, plasma, erythrocytes, urine, in relation to ALA-D activity after intravenous infusion of Ca-EDTA, 235
LEDFORD W E *see* CURRIER M F *et al*
LEE S H *see* LIM H H *et al*
LEYKO W *see* GENDEK E *et al*
LEZNOFF A *see* BRODER I *et al*
LIJNEN P *see* STAESSEN J *et al*
LIM C S *see* LIM H H *et al*
LIM H H, DOMALA Z, JOGINDER S, LEE S H, LIM C S, and ABU BAKAR C M: Rice millers' syndrome: a preliminary report, 445
Limestone quarries, Bedford, Indiana, revisited, effect of air hammer on hands of stonecutters, 289
LINDSTEDT G *see* SJÖGREN B *et al*
Lipid abnormalities in workers exposed to dioxin, 254
Liquid barrier filter, total protection against particulate contaminants, 1
Liver damage, isolated, chemical workers, 142
LLOYD M H, GAULD S, COPLAND L, and SOUTAR C A: Epidemiological study of the lung function of workers at a factory manufacturing polyvinylchloride, 328
LÖF A *see* WIGAEUS E *et al*
LOMBARDI S *see* MUTTI A *et al*
LUCERTINI S *see* MUTTI A *et al*
Lumberjacks, wrists, symptoms of vibration syndrome, radiographic findings, 133
Lung cancer, mortality among workers making lead and zinc chromate pigments, three English factories, 158
—— dust content, coalworkers, comparison of radiographic appearances with associated pathology, 459
—— function and alpha$_1$ antitrypsin, British coalminers, 455
—— —— response, acute, to cotton dust in atopy and non-atopy, 487
—— ——, polyvinylchloride workers, epidemiological study, 328
—— histamine concentrations, chronic exposure to cotton and flax dusts, guinea pigs, 209
—— mechanics in relation to radiographic category of coalworkers' simple pneumoconiosis: notes and miscellanea, 284
—— tumours, two primary, and pneumoconiosis, in one case, quantitative x ray micro-analysis of pulmonary mineral particles, 468
LUTZ C *see* AXELSSON G *et al*

M

MAASING R *see* SARACCI R *et al*
McCALLUM R I and PETRIE A: Optimum weights for commercial divers, 275
McDONALD A D, FRY J S, WOOLLEY A J and McDONALD J C: Dust exposure and mortality in an American chrysotile asbestos friction products plant, 151
McDONALD J C *see* McDONALD A D *et al*
McDOWALL M E: A mortality study of cement workers, 179
MACLEAN A C *see* CLARE M G *et al*
MAIER G *see* SLUIS-CREMER G K and MAIER G
MAKAR A *see* NOWEIR M H *et al*
MANCUSO T F *see* KNEALE G W *et al*
MANTON W I and COOK J D: High accuracy (stable isotope dilution) measurements of lead in serum and cerebrospinal fluid, 313
MÄNTYJÄRVI R *see* HUUSKONEN M S *et al*
MÄNTYSALO S and VUORI J: Effects of impulse noise and continuous steady state noise on hearing, 122
MARTIN J V: Lipid abnormalities in workers exposed to dioxin, 254
MATTSSON T *see* HÄRKÖNEN H *et al*
MEDLARS, information section, 145, 286, 421, 554
MERCURIUS-TAYLOR L A, JAYARAJ A P and CLARK C G: Is chronic

detergent ingestion harmful to the gut? 279
MERRETT J D *see* COURTNEY D and MERRETT J D
Mesothelioma, malignant, and asbestos exposure, histological types, 514
—— —— asbestos exposure, reclassification of histopathology, 39
Methaemoglobin formers and carbon disulphide, chest pain in rubber chemical workers exposed to, 296
Methyl bromide fumigation, soil disinfection, actual hazard: notes and miscellanea, 282
Methylene chloride burns: notes and miscellanea, 420
4, 4'-methylenebis [2-chloroaniline] [MBOCA], biological monitoring of exposed workers, 547
Mineral and asbestos fibres, binding of environmental carcinogens, 396
MINTZ S *see* BRODER I *et al*
MISUMI J and NAGANO M: Neurophysiological studies on the relation between the structural properties and neurotoxicity of aliphatic hydrocarbon compounds in rats, 526
MONCRIEFF C B *see* BYE E *et al*
MONCRIEFF C B *see* EDWARDS R E *et al*
MOORE F *see* COCHRANE A L and MOORE F
MOROSOVA K I, KATNELSON B A, ROTENBERG Y S, and BELOBRAGINA G V: A further experimental study of the antisilicotic effect of glutamate, 518
Mortality, firefighters, Western Australia, 183
—— risks, job related, relation to cancer effects of measured doses of external radiation, Hanford workers, 9
—— —— occupational, identification, Hanford workers, 6
—— study, British pathologists, 1974–80, 188
—— —— long term, chromate pigment workers suffering lead poisoning, 170
MOSCATO G *see* CANDURA F and MOSCATO G
MUIR D C F *see* SHANNON H S *et al*
MUÑOZ A *see* SCHENKER M B *et al*
MUR J M *see* PHAM Q T *et al*
MUSK A W *see* PRICHARD M G *et al*
MUTTI A, FALZOI M, LUCERTINI S, ARFINI G, ZIGNANI M, LOMBARDI S, and FRANCHINI I: n-Hexane metabolism in occupationally exposed workers, 533

N

NAGANO M *see* MISUMI J and NAGANO M
NAGLE G S *see* WONG O *et al*
NEWHOUSE M T *see* WOLFF R K *et al*
Nickel sensitivity and occupational asthma, 51
NICKELS J *see* TUKIAINEN P *et al*
NIEBOER E, EVANS S L and DOLOVICH J: Occupational asthma from nickel sensitivity: II Factors influencing the interaction of Ni^{2+}, HSA, and serum antibodies with nickel related specificity, 56
—— *see also* DOLOVICH J *et al*
NILES C A *see* BAKER E L *et al*
Noise, impulse and continuous steady state, effects on hearing, 122
—— oscillator, forced random, detecting cotton induced bronchoconstriction, 480
NORDMAN H *see* HUUSKONEN M S *et al*
NORDQVIST M B *see* WIGAEUS E *et al*
Notes and miscellanea: Actual hazard of methyl bromide fumigation in soil disinfection, 282
Do amines induce occupational asthma in workers manufacturing polyurethane foams? 552
HLA antigens of the A and B locus in relation to the development of silicosis, 417
Lung mechanics in relation to radiographic category of coalworkers' simple pneumoconiosis, 284
Methylene chloride burns, 420
Toxocaral antibodies in personnel occupationally concerned with dogs, 419
Notices, 141, 285, 538
NOWEIR M H, ABDEL-KADER H M and MAKAR A: Role of histamine in the aetiology of byssinosis. II Lung histamine concentrations in guinea pigs chronically exposed to cotton and flax dusts, 209
—— —— and OMRAN F: Role of histamine in the aetiology of byssinosis. I Blood histamine concentrations in workers exposed to cotton and flax dusts, 203
NYBERG M *see* TUKIAINEN P *see et al*

O

OAKES D *see* HARRINGTON J M and OAKES D
OBMINSKI G *see* WOLFF R K *et al*
OLIVER L C and WEBER R P: Chest pain in rubber chemical workers exposed to carbon disulphide and methaemoglobin formers, 296
OLSEN J H *see* SARACCI R *et al*
OMRAN F *see* NOWEIR M H *et al*
Oxides of nitrogen, exposure to, respiratory symptoms and lung function, British coalminers, 214

P

PÄÄKKÖ P *see* ANTTILA S *et al*
PAGE M *see* HARVEY G *et al*
Pathologists, British, 1947–80, mortality study, 188
PEKKARINEN M *see* HÄRKÖNEN H *et al*
PELOQUIN S *see* BÉGIN R *et al*
PETEGHEM C VAN *see* VAN PETEGHEM C
PETERS J M, SMITH T J, BERNSTEIN L, WRIGHT W E and HAMMOND S K: Pulmonary effects of exposures in silicon carbide manufacturing, 109
PETRIE A *see* MCCALLUM R I and PETRIE A
PEURA R *see* ANTTILA S *et al*
PHAM Q T, MUR J M, CHAU N, GABIANO M, HENQUEL J C and TECULESCU D: Prognostic value of acetylcholine challenge test: a prospective study, 267
Pleuropulmonary disease, asbestos workers, radiographic assessment, posteroanterior, four view films and computed tomograms of the thorax, 373
Pneumoconiosis, coalworkers' simple, lung mechanics in relation to radiographic category: notes and miscellanea, 284
—— talc, or chronic sarcoidosis, pulmonary granulomatous reaction, 84
—— and two primary lung tumours, quantitative x ray analysis of pulmonary mineral particles, 468
Polybrominated biphenyls [PBB], potential exposure to, mortality of workers, 15
Polyurethane foams, workers manufacturing, do amines induce occupational asthma: notes and miscellanea, 552
Polyvinylchloride workers, incidence of cancer, 25
—— —— lung function epidemiological study, 328
POSTON P L *see* CURRIER M F *et al*
Pregnancy outcome, solvent exposure, university laboratory employees, 305
PRICHARD M G, RYAN G, and MUSK A W: Wheat flour sensitisation and airways disease in urban bakers, 450
PROVENCHER S *see* CORDIER S *et al*
see THÉRIAULT G *et al*
Pulmonary effects of exposures, silicon carbide manufacturing, 109
—— mineral particles, in patient with pneumoconiosis and two primary lung tumours, quantitative x ray microanalysis, 468
—— *see also* Lung

R

Radiation, external, job related mortality risks, relation to cancer effects of measured doses, Hanford workers, 9
—— workers, mortality risks, 6
Radiographic anomalies, in workers exposed to vibration caused by light tools, 137
Railway workers, diesel exposure and mortality, pilot study results, 320
RANEK L *see* DØSSING M and RANEK L
Respiratory exposures, silicon carbide production, 100
—— function, tea workers, 88

—— morbidity, wollastonite workers, 474
—— variables, changes, grain handlers and civic workers, initial months of employment, 94
—— *see also* Lung: Pulmonary
Reversibility of skeletal fluorosis [November 1983], correction, 141
Reynolds D *see* Taylor W *et al*
Rice millers' syndrome, preliminary report, 445
Riihimäki H *see* Härkönen H *et al*
Robertson A, Dodgson J, Collings P and Seaton A: Exposure to oxides of nitrogen: respiratory symptoms and lung function in British coalminers, 214
Roels H *see* Staessen J *et al*
Rosier J, Billemont G, Van Peteghem C, Vanhoorne M, Grosjean R, and Van De Walle A: Relation between the iodine azide test and the TTCA test for exposure to carbon disulphide, 412
Rotenberg Y S *see* Morosova K I *et al*
Rubber chemical workers, exposed to carbon disulphide and methaemoglobin formers, chest pain, 296
Ruckley V A, Fernie J M, Chapman J S, Collings P, Davis J M G, Douglas A N, Lamb D, and Seaton A: Comparison of radiographic appearances with associated pathology and lung dust content in a group of coalworkers, 459
Ryan G *see* Prichard M G *et al*
Rylander R *see* Axelsson G *et al*
Haglind P and Rylander R

S

Samueloff S *see* Taylor W *et al*
Saner G, Yüzbaşiyan V and Çigdem S: Hair chromium concentration and chromium excretion in tannery workers, 263
Saracci R, Simonato L, Acheson E D, Andersen A, Bertazzi P A, Claude J, Charnay N, Esteve J, Frentzel-beyme R R, Gardner M J, Jensen O M, Maasing R, Olsen J H, Teppo L, Westerholm P, and Zocchetti C: Mortality and incidence of cancer of workers in the man made vitreous fibres producing industry: an international investigation at 13 European plants, 425
Sarcoidosis, chronic, or talc pneumoconiosis, pulmonary granulomatous reaction, 84
Schenker M B, Smith T, Muñoz A, Woskie S, and Speizer F E: Diesel exposure and mortality among railway workers: results of a pilot study, 320
Scrotal cancer, West Midlands, 1936–76, 437
Seaton A *see* Robertson A *et al*
Ruckley V A *et al*
Sepulveda M-J, Castellan R M, Hankinson J L, and Cocke J B: Acute lung function response to cotton dust in atopic and nonatopic individuals, 487
—— —— —— Cotton induced bronchoconstriction detected by a forced random noise oscillator, 480
—— *see also* Hanke W *et al*
Seufert W D, Bessette F, and Lachiver G: The liquid barrier filter: total protection against particulate contaminants, 1
Shannon H S, Hayes M, Julian J A and Muir D C F: Mortality experience of glass fibre workers, 35
Sherwin R P *see* Wright W E and Sherwin R P
Wright W E *et al*
Shiojima S *see* Ishihara N *et al*
Silica analysis, quantitative, and in vitro cytotoxicity, diatomaceous earth products, 228
Silicon carbide manufacturing, pulmonary effects of exposures, 109
—— —— production, respiratory exposures, 100
Silicosis development, HLA antigens of A and B locus in relation to: notes and miscellanea, 417
Simonato L *see* Saracci R *et al*
Sinclair A and Smith T A: A three-frequency audiogram for use in industry, 401
Sivonen S J *see* Anttila S *et al*
Sjögren B, Hedström L and Lindstedt G: Urinary fluoride concentration as an estimator of welding fume exposure from basic electrodes, 192
Skaug V, Davies R and Gylseth B: In vitro macrophage cytotoxicity of five calcium silicates, 116
Skurić Z *see* Žuškin E and Skurić Z
Slovak A J M: Toxocaral antibodies in personnel occupationally concerned with dogs: notes and miscellanea, 419
Sluis-Cremer G K and Maier G: HLA antigens of the A and B locus in relation to the development of silicosis: notes and miscellanea, 417
Smith D M: Ethylene thiourea: thyroid function in two groups of exposed workers, 362
Smith T *see* Schenker M B *et al*
Smith T A *see* Sinclair A and Smith T A
Smith T J, Hammond S K, Laidlaw F and Fine S: Respiratory exposures associated with silicon carbide production: estimation of cumulative exposures for an epidemiological study, 100
—— *see also* Peters J M *et al*
Soil disinfection, methyl bromide fumigation, actual hazard: notes and miscellanea, 282
Solderers, respiratory symptoms and lung function, 346
Solvents, exposure, pregnancy outcome, university laboratory employees, 305
Soutar C A and Collins H P R: Classification of progressive massive fibrosis of coalminers by type of radiographic appearance, 334
—— *see also* Lloyd M H *et al*
Speizer F E *see* Schenker M B *et al*
Spickett J T *see* Eliopulos E *et al*
Staessen J, Bulpitt C J, Roels H, Bernard A, Fagard R, Joossens J V, Lauwerys R, Lijnen P and Amery A: Urinary cadmium and lead concentrations and their relation to blood pressure in a population with low exposure, 241
Steelworkers, symptomatic, acute exposure to sulphur dioxide and carbon dust, effects on mucociliary transport, pulmonary function, and bronchial reactivity, 499
Stewart A M *see* Kneale G W *et al*
Stonecutters, hands, effect of air hammer, limestone quarries, Bedford, Indiana, revisited, 289
Styrene, occupational exposure to, raised serum bile acid concentrations, possible sign of hepatotoxicity, 257
—— uptake, distribution, metabolism and elimination in man, comparison between single exposure and co-exposure with acetone, 539
Sulphur dioxide and carbon dust, acute exposure of symptomatic steelworkers, effects on mucociliary transport, pulmonary function, and bronchial reactivity, 499
Sutinen S *see* Anttila S *et al*

T

Tagesson C *see* Edling C and Tagesson C
Talc pneumoconiosis or chronic sarcoidosis, pulmonary granulomatous reaction, 84
Tannery workers, hair chromium concentration and chromium excretion, 263
Taskinen E *see* Tukiainen P *et al*
Taylor L A Mercurius- *see* Mercurius-Taylor L A
Taylor W, Wasserman D, Behrens V, Reynolds D, and Samueloff S: Effect of the air hammer on the hands of stonecutters. The limestone quarries of Bedford, Indiana, revisited, 289
Tea workers, respiratory function, 88
Teculescu D *see* Pham Q T *et al*
Telangiectasia, aluminium workers, follow up, 367
Teppo L *see* Saracci R *et al*
Tessema N *see* Waldron H A *et al*
Textile dust extracts, characterisation: I Histamine release in vitro, 64: II Bronchoconstriction in man, 70
Theriault G, Gingras S, and Provencher S: Telangiectasia in

aluminium workers: a follow up, 367
—— *see also* CORDIER S *et al*
THEUWS J L G *see* BOS R P *et al*
THOMAS J D and WILSON H K: Biological monitoring of workers exposed to 4, 4′-methylenebis [2-chloroaniline] [MBOCA], 547
THOMAS P *see* BRODER I *et al*
Thyroid function, two groups of workers exposed to ethylene thiourea, 362
Tobacco industry and extrinsic allergic alveolitis, 77
TOLA S *see* HÄRKÖNEN H *et al*
Toluene and aniline, mixed exposure to, p-aminophenol in urine, thin layer chromatography, 272
Toxocaral antibodies in personnel occupationally concerned with dogs: notes and miscellanea, 419
TRENT B *see* AMES R G and TRENT B
Tris [2,3-dibromopropyl] phosphate potential exposure to, mortality of workers, 15
TTCA test and iodine azide test, for exposure to carbon disulphide, relation between, 412
TUKIAINEN P, NICKELS J, TASKINEN E and NYBERG M: Pulmonary granulomatous reaction: talc pneumoconiosis or chronic sarcoidosis? 84

U

URAGODA C G: Asthma and other symptoms in cinnamon workers, 224

V

VAN DE WALLE A *see* ROSIER J *et al*
VAN DEN BOSSCHE J and LAHAYE D: X ray anomalies occurring in workers exposed to vibration caused by light tools, 137
VAN PETEGHEM C *see* ROSIER J *et al*
VANHOORNE M *see* ROSIER J *et al*
Vibration, caused by light tools, radiographic anomalies in workers exposed to, 137
—— syndrome, symptoms, wrists of lumberjacks, radiographic findings, 133
Vinyl chloride workers, incidence of cancer, 25
Vitreous fibres producing industry, mortality and incidence of cancer of workers, 425
VUORI J *see* MÄNTYSALO S and VUORI J

W

WAGNER M M F *see* EDWARDS R E *et al*
WALD N, BOREHAM J, DOLL R and BONSALL J: Occupational exposure to hydrazine and subsequent risk of cancer, 31
WALDRON H A, WATERHOUSE J A H, and TESSEMA N: Scrotal cancer in the West Midlands 1936–76, 437
—— *see also* WELLS G G and WALDRON H A
WALLE A VAN DE *see* VAN DE WALLE A
WASSERMAN D *see* TAYLOR W *et al*
WATERHOUSE J A H *see* WALDRON H A *et al*
WATSON A *see* HANKE W *et al*
WEBER R P *see* OLIVER L C and WEBER R P
Weights, optimum, commercial divers, 275
Welding fume exposure, from basic electrodes, urinary fluoride concentration as an estimator, 192
WELLS G G and WALDRON H A: Methylene chloride burns: notes and miscellanea, 420
WESTERHOLM P *see* SARACCI R *et al*
Wheat flour sensitisation and airways disease, urban bakers, 450
WHITE R A *see* BAKER E L *et al*
WIGAEUS E, LÖF A, and NORDQVIST M B: Uptake, distribution, metabolism, and elimination of styrene in man, 539
WIGFIELD D C *see* FARANT J P and WIGFIELD D C
WILCZOK T *see* BIENIEK G *et al*
WILSON H K *see* THOMAS J D and WILSON H K
WOLFF R K, OBMINSKI G, and NEWHOUSE M T: Acute exposure of symptomatic steelworkers to sulphur dioxide and carbon dust: effects on mucociliary transport, pulmonary function, and bronchial reactivity, 499
Wollastonite workers, respiratory morbidity, 474
WONG O, BROCKER W, DAVIS H V and NAGLE G S: Mortality of workers potentially exposed to organic and inorganic brominated chemicals, DBCP, TRIS, PBB, and DDT, 15
WOOLLEY A J *see* MCDONALD A D *et al*
WOSKIE S *see* SCHENKER M B *et al*
WRIGHT W E and SHERWIN R P: Histological types of malignant mesothelioma and asbestos exposure, 514
—— —— DICKSON E A, BERNSTEIN L, FROMM J B and HENDERSON B E: Malignant mesothelioma: incidence, asbestos exposure, and reclassification of histopathology, 39
—— *see also* PETERS J M *et al*
Wrists, lumberjacks, symptoms of vibration syndrome, radiographic findings, 133

Y

YARDLEY-JONES A *see* CLARE M G *et al*
YÜZBAŞIYAN V *see* SANER G *et al*

Z

ZIGNANI M *see* MUTTI A *et al*
Zinc and lead chromate pigments, lung cancer mortality among workers in three English factories, 158
ZITTING A *see* HÄRKÖNEN H *et al*
HUUSKONEN M S *et al*
ZOCCHETTI C *see* SARACCI R *et al*
ŽUŠKIN E and SKURIĆ Z: Respiratory function in tea workers, 88
—— *see also* DOUGLAS J S *et al*